	A-dication No	A1:4/-)
	Application No.	Applicant(s)
Notice of Allowability	09/392,270	POIRIER ET AL.
	Examiner	Art Unit
	Trinh T. Nguyen	3644
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>RCE dated 12/13/04.</u>		
2. The allowed claim(s) is/are <u>17,18,20,23,25 and 29</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)	5 □ Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	, , , , , ,
_	Paper No./Mail Dat	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0)</li> <li>Paper No./Mail Date 12/13/04</li> </ol>	_	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		nt of Reasons for Allowance
-	9. Other	

1. N

Application/Control Number: 09/392,270

Art Unit: 3644

#### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney MacMillan on 11/25/05.

The application has been amended as follows:

# In claim 17(New):

line 3, --and defining a length-- has been inserted after "a second portion";

line 4, "the workpiece" has been amended to --only a portion of the workpiece that is less than the length of the workpiece--;

line 6, --either by (1) supporting an upper end of the workpiece and moving the workpiece vertically relative to an inductive heating coil and quenching ring, by (2) supporting a lower end of the workpiece and moving the workpiece vertically relative to the inductive heating coil and quenching ring, or by (3) initially supporting one of an upper end of the workpiece and a lower end of the workpiece, moving the workpiece vertically relative to an inductive heating coil and quenching ring, and subsequently supporting the other of the upper end and the lower end-- has been inserted after "the workpiece".

Application/Control Number: 09/392,270 Page 3

Art Unit: 3644

## In claim 18:

lines 1-2, deleted "wherein said step (a) is performed by providing the workpiece having a first end and a second end, and";

lines 4-5, "the first end of the workpiece to the second end of the workpiece" has been amended to --either the upper end of the workpiece to the lower end of the workpiece or from the lower end of the workpiece to the upper end of the workpiece--.

## In claim 20:

line 1, "Claim 10" has been amended to --Claim 17--.

### In claim 23:

line 1, "Claim 22" has been amended to --Claim 17--.

#### In claim 25:

line 1, "Claim 22" has been amended to --Claim 17--.

Claims 19, 21, 22, 24, and 26-28 have been cancelled.

2. The present application is allowed because: 1) the prior art of record fails to disclose or render obvious a method of performing a retrogression heat treatment process on a workpiece as amended above (especially in claim 17) and 2) the Terminal Disclaimer filed on 1/2/04.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 4

Application/Control Number: 09/392,270

Art Unit: 3644

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Trinh T. Nguyen whose telephone number is (571) 272-6906. The examiner can normally be reached on M-F (9:30 A.M to 6:00 P.M).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Teri Luu can be reached on (571) 272-7045. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Trinh T Nguyen
Primary Examiner
Art Unit 3644

11/25/05